INDEX TO AUTHORS

ABRAMS, IRVING, and SOLLNER, KARL. The structure of the collodion membrane and its electrical behavior. VI. The protamine-collodion membrane, a new electropositive membrane, 369

ALBAUM, H. G. See POTTER and ALBAUM, 443

ALLEN, THOMAS HUNTER, OTIS, ARTHUR B., and BODINE, JOSEPH HALL. The pH stability of protyrosinase and tyrosinase, 151

BAKER, DWIGHT, and NELSON, J. M. Tyrosinase and plant respiration, 269

BEECHER, HENRY K. See CRAIG and BEECHER, 467, 473

BLISS, ALFRED F. Derived photosensitive pigments from invertebrate eyes, 361

BODINE, JOSEPH HALL. See ALLEN, OTIS, and BODINE, 151

CARR, CHARLES W. See SOLLNER and CARR, 17, 309

CHAIKOFF, I. L. See ZILVERSMIT, ENTENMAN, FISHLER, and CHAIKOFF, 333

CHICK, ARTHUR J. See LYNN, ZWEMER, CHICK, and MILLER, 179

COPLEY, ALFRED L., KRCHMA, LUDWIG C., and WHITNEY, MARY E. Humoral rheology. I. Viscosity studies and anomalous flow properties of human blood systems with heparin and other anticoagulants, 49

CRAIG, FRANCIS N., and BEECHER, HENRY K. The effect of carbon dioxide tension on tissue metabolism (retina), 473

— and —. The effect of low oxygen tension on tissue metabolism (retina), 467

DUBOIS, K. P. See POTTER and DUBOIS, 391

ENTENMAN, C. See ZILVERSMIT, ENTENMAN, and FISHLER, 325

—. See ZILVERSMIT, ENTENMAN, FISHLER, and CHAIKOFF, 333

ERICKSON, JOHN O. See MARTIN, ERICKSON, PUTNAM, and NEURATH, 533

—. See PUTNAM, ERICKSON, VOLKIN, and NEURATH, 513

FISHLER, M. C. See ZILVERSMIT, ENTENMAN, and FISHLER, 325

—. See ZILVERSMIT, ENTENMAN, FISHLER, and CHAIKOFF, 333

GAFFRON, HANS. The effect of specific poisons upon the photoreduction with hydrogen in green algae, 195

—. Reduction of carbon dioxide coupled with the oxyhydrogen reaction in algae, 241

— and RUBIN, JACK. Fermentative and photochemical production of hydrogen in algae, 219

GOLDSTEIN, AVRAM. See STRAUS and GOLDSTEIN, 559

GRANT, W. MORTON. See KINSEY and GRANT, 119, 131

GRIFFITHS, JAMES T., JR., and TAUBER, OSCAR E. Effects of pH and of various concentrations of sodium, potassium, and calcium chloride on muscular activity of the isolated crop of *Periplaneta americana* (Orthoptera), 541

GROB, DAVID. The antiproteolytic activity of serum. I. The nature and experimental variation of the antiproteolytic activity of serum, 405

GROB, DAVID. The antiproteolytic activity of serum. II. Physiological significance. The influence of purified trypsin inhibitor on the coagulation of the blood, 423
—. III. Physiological significance. The influence of trypsin and of antiprotease on bacterial growth and sulfonamide action, 431

HALPERT, WESLEY. See WAGREICH, HALPERT, and HIRSCHMAN, 479
HIRSCHMAN, ALBERT. See WAGREICH, HALPERT, and HIRSCHMAN, 479

JAHN, THEODORE LOUIS, and WULFF, VERNER JOHN. Allocation of electrical responses from the compound eye of grasshoppers, 75

KINSEY, V. EVERETT, and GRANT, W. MORTON. Further chemical studies on blood-aqueous humor dynamics, 119
— and —. The mechanism of aqueous humor formation inferred from chemical studies on blood-aqueous humor dynamics, 131
KRCHMA, LUDWIG C. See COPLEY, KRCHMA, and WHITNEY, 49

LEPAGE, G. A. See VOGLER, LEPAGE, and UMBREIT, 89
LYNN, JOHN G., ZWEMER, RAYMUND L., CHICK, ARTHUR J., and MILLER, AUGUST E. A new method for the generation and use of focused ultrasound in experimental biology, 179

MARTIN, DONALD S., ERICKSON, JOHN O., PUTNAM, FRANK W., and NEURATH, HANS. Native and regenerated bovine albumin. II. Immunological properties, 533
MILLER, AUGUST E. See LYNN, ZWEMER, CHICK, and MILLER, 179
MORALES, MANUEL F. Some thermoanalytic studies of organ and whole animal respiration, 381

NELSON, J. M. See BAKER and NELSON, 269
NEURATH, HANS. See MARTIN, ERICKSON, PUTNAM, and NEURATH, 533
—. See PUTNAM, ERICKSON, VOLKIN, and NEURATH, 513

OSTERHOUT, W. J. V. Diffusion potentials in models and in living cells, 293
—. Increased irritability in *Nitella* due to guanidine, 65
—. Pacemakers in *Nitella*. III. Electrical alternans, 457
OTIS, ARTHUR B. See ALLEN, OTIS, and BODINE, 151

PESKIN, JAMES C. The regeneration of visual purple in the living animal, 27
PICKELS, EDWARD G. Sedimentation in the angle centrifuge, 341
PLACHTE, FRANK L. See STRAUS and GOLDSTEIN, 559
POTTER, V. R., and ALBAUM, H. G. Studies on the mechanism of hydrogen transport in animal tissues. VII. Inhibition by ribonuclease, 443
— and DUBOIS, K. P. Studies on the mechanism of hydrogen transport in animal tissues. VI. Inhibitor studies with succinic dehydrogenase, 391
PUTNAM, FRANK W., ERICKSON, JOHN O., VOLKIN, ELLIOT, and NEURATH, HANS. Native and regenerated bovine albumin. I. Preparation and physicochemical properties, 513
—. See MARTIN, ERICKSON, PUTNAM, and NEURATH, 533

RUBIN, JACK. See GAFFRON and RUBIN, 219

SEVAG, M. G., and SHELBURNE, M. Cyanide-sensitive bacterial respiratory systems different from the usual cytochrome-cytochrome oxidase system, 1
—. See SMOLENS and SEVAG, 11
SHEDLOVSKY, THEODORE. The electrical conductivity of sodium and potassium guaiacolates in guaiacol, 287
SHELBURNE, M. See SEVAG and SHELBURNE, 1
SIMMS, HENRY S. The use of a measurable cause of death (hemorrhage) for the evaluation of aging, 169
SMOLENS, J., and SEVAG, M. G. The antigenicity of *d*-ribonuclease; the inhibition of the enzyme by its homologous immune serum, 11
SOLLNER, KARL, and CARR, CHARLES W. The structure of the collodion membrane and its electrical behavior. IV. The relative merits of the homogeneous phase theory and the micellar-structural theory as applied to the dried collodion membrane, 17
— and —. V. The influence of the thickness of dried collodion membranes upon their electromotive behavior, 309
—. See ABRAMS and SOLLNER, 369
STRAUS, OLIVER H., and GOLDSTEIN, AVRAM. Zone behavior of enzymes illustrated by the effect of dissociation constant and dilution on the system cholinesterase-physostigmine, 559
SWANSON, C. P. Differential sensitivity of prophase pollen tube chromosomes to x-rays and ultraviolet radiation, 485

TAUBER, OSCAR E. See GRIFFITHS and TAUBER, 541

UMBREIT, W. W. See VOGLER, LEPAGE, and UMBREIT, 89
—. See VOGLER and UMBREIT, 157

VOGLER, K. G. Studies on the metabolism of autotrophic bacteria. II. The nature of the chemosynthetic reaction, 103
—, LEPAGE, G. A., and UMBREIT, W. W. Studies on the metabolism of autotrophic bacteria. I. The respiration of *Thiobacillus thiooxidans* on sulfur, 89
— and UMBREIT, W. W. Studies on the metabolism of the autotrophic bacteria. III. The nature of the energy storage material active in the chemosynthetic process, 157
VOLKIN, ELLIOT. See PUTNAM, ERICKSON, VOLKIN, and NEURATH, 513

WAGREICH, HARRY, HALPERT, WESLEY, and HIRSCHMAN, ALBERT. The influence of amino acids on the reactivation of yeast invertase, 479
WALKER, PAUL ANDREW. Physical properties of the allantoic and amniotic fluids of the chick. I. Specific conductance, 495
—. II. Hydrogen ion concentration, 503
WHITNEY, MARY E. See COPLEY, KRCHMA, and WHITNEY, 49
WILSON, J. B., and WILSON, P. W. Action of inhibitors on hydrogenase in *Azotobacter*, 277
WILSON, P. W. See WILSON and WILSON, 277
WULFF, VERNER JOHN. See JAHN and WULFF, 75

ZILVERSMIT, D. B., ENTENMAN, C., and FISHLER, M. C. On the calculation of "turnover time" and "turnover rate" from experiments involving the use of labeling agents, 325

—, —, —, and CHAIKOFF, I. L. The turnover rate of phospholipids in the plasma of the dog as measured with radioactive phosphorus, 333

ZWEMER, RAYMUND L. See LYNN, ZWEMER, CHICK, and MILLER, 179

INDEX TO SUBJECTS

ACIDS, amino, influence on reactivation of yeast invertase, 479

Aging, use of measurable cause of death (hemorrhage) for evaluation of, 169

Albumin, bovine, native and regenerated, immunological properties, 533

—, bovine, native and regenerated, preparation and physicochemical properties, 513

Algae, carbon dioxide reduction coupled with oxyhydrogen reaction in, 241

—, fermentative and photochemical production of hydrogen in, 219

—, green, effect of specific poisons upon photoreduction with hydrogen in, 195

Allantoic and amniotic fluids of chick, physical properties, hydrogen ion concentration, 503

— and amniotic fluids of chick, physical properties, specific conductance, 495

Amino acids, influence on reactivation of yeast invertase, 479

Amniotic and allantoic fluids of chick, physical properties, hydrogen ion concentration, 503

— and allantoic fluids of chick, physical properties, specific conductance, 495

Anticoagulants, viscosity studies and anomalous flow properties of human blood systems with heparin and, 49

Antigenicity of *d*-ribonuclease, inhibition of enzyme by homologous immune serum, 11

Antiprotease and trypsin, influence on bacterial growth and sulfonamide action, physiological significance of antiproteolytic activity of serum, 431

Antiproteolytic activity of serum, nature and variation, 405

— activity of serum, physiological significance, influence of purified trypsin inhibitor on blood coagulation, 423

— activity of serum, physiological significance, influence of trypsin and antiprotease on bacterial growth and sulfonamide action, 431

Aqueous humor–blood dynamics, chemistry, 119

— humor formation, mechanism inferred from chemical studies on blood–aqueous humor dynamics, 131

Autotrophic bacteria, metabolism, nature of chemosynthetic reaction, 103

— bacteria, metabolism, nature of energy storage material active in chemosynthetic process, 157

— bacteria, metabolism, respiration of *Thiobacillus thiooxidans* on sulfur, 89

Azotobacter hydrogenase, action of inhibitors, 277

BACTERIA, autotrophic, metabolism, nature of chemosynthetic reaction, 103

—, autotrophic, metabolism, nature of energy storage material active in chemosynthetic process, 157

—, autotrophic, metabolism, respiration of *Thiobacillus thiooxidans* on sulfur, 89

Bacterial growth and sulfonamide action, influence of trypsin and antiprotease, physiological significance of antiproteolytic activity of serum, 431

— respiratory systems, cyanide-sensitive, different from usual cytochrome-cytochrome oxidase system, 1

Biology, method for generation and use of focused ultrasound in, 179
Blood coagulation, influence of purified trypsin inhibitor, physiological significance of antiproteolytic activity of serum, 423
— plasma. *See* Plasma.
— systems, human, viscosity studies and anomalous flow properties with heparin and other anticoagulants, 49
Blood–aqueous humor dynamics, chemical studies, mechanism of aqueous humor formation inferred from, 131
— humor dynamics, chemistry, 119

CALCIUM, sodium, and potassium chloride, various concentrations, and hydrogen ion concentration, effects on muscular activity of *Periplaneta americana* isolated crop, 541
Carbon dioxide reduction coupled with oxyhydrogen reaction in algae, 241
— dioxide tension, effect on metabolism of retina, 473
Cattle albumin, native and regenerated, immunological properties, 533
— albumin, native and regenerated, preparation and physicochemical properties, 513
Cells, living, and models, diffusion potentials in, 293
Centrifuge, angle, sedimentation in, 341
Chemical, physico-, properties, and preparation, of native and regenerated bovine albumin, 513
Chemistry, blood-aqueous humor dynamics, 119
—, blood–aqueous humor dynamics, mechanism of aqueous humor formation inferred from, 131
Chemosynthetic process, nature of energy storage material active in, in metabolism of autotrophic bacteria, 157
— reaction, nature, in metabolism of autotrophic bacteria, 103
Cholinesterase-physostigmine system, zone behavior of enzymes illustrated by effect of dissociation constant and dilution on, 559
Chromosomes, pollen tube, prophase, differential sensitivity to x-rays and ultraviolet radiation, 485
Coagulation, blood, influence of purified trypsin inhibitor, physiological significance of antiproteolytic activity of serum, 423
Collodion membranes, dried, structure and electrical behavior, influence of thickness upon electromotive behavior, 309
— membranes, dried, structure and electrical behavior, relative merits of homogeneous phase theory and micellar-structural theory, 17
— membranes, structure and electrical behavior, 369
Conductance, specific, of allantoic and amniotic fluids of chick, 495
Conductivity, electrical, of sodium and potassium guaiacolates in guaiacol, 287
Constant, dissociation, and dilution, zone behavior of enzymes illustrated by effect on cholinesterase-physostigmine system, 559
Crop, isolated, of *Periplaneta americana*, effects of hydrogen ion concentration and of various concentrations of sodium, potassium, and calcium chloride on muscular activity, 541
Cyanide-sensitive bacterial respiratory systems different from usual cytochrome-cytochrome oxidase system, 1
Cytochrome-cytochrome oxidase system, usual, cyanide-sensitive bacterial respiratory systems different from, 1

DEATH, use of hemorrhage for evaluation of aging, 169
Dehydrogenase, succinic, inhibitor studies with, mechanism of hydrogen transport in animal tissues, 391
Diffusion potentials in models and living cells, 293
Dissociation constant and dilution, effect on cholinesterase-physostigmine system, zone behavior of enzymes illustrated by, 559
Dynamics, blood–aqueous humor, chemistry, 119
—, blood–aqueous humor, mechanism of aqueous humor formation inferred from chemical studies on, 131

ELECTRICAL alternans in *Nitella*, 457
— behavior and structure of dried collodion membranes, influence of thickness, 309
— behavior and structure of dried collodion membranes, relative merits of homogeneous phase theory and micellar-structural theory, 17
— conductivity of sodium and potassium guaiacolates in guaiacol, 287
— responses from compound grasshopper eye, allocation, 75
Electropositive membrane, protamine-collodion, 369
Energy storage material active in chemosynthetic process, nature, in metabolism of autotrophic bacteria, 157
Enzyme, *d*-ribonuclease, inhibition by homologous immune serum, 11
Enzymes, zone behavior illustrated by effect of dissociation constant and dilution on cholinesterase-physostigmine system, 559
Eye, grasshopper, compound, allocation of electrical responses from, 75
Eyes, invertebrate, derived photosensitive pigments from, 361

FERMENTATIVE and photochemical production of hydrogen in algae, 219
Flow properties, anomalous, and viscosity studies of human blood systems with heparin and other anticoagulants, 49
Fluids, allantoic and amniotic, chick, physical properties, hydrogen ion concentration, 503
—, allantoic and amniotic, chick, physical properties, specific conductance, 495

GRASSHOPPER eye, compound, allocation of electrical responses from, 75
Growth, bacterial, and sulfonamide action, influence of trypsin and antiprotease, physiological significance of antiproteolytic activity of serum, 431
Guaiacol, electrical conductivity of sodium and potassium guaiacolates in, 287
Guanidine, irritability in *Nitella* increased by, 65

HEMORRHAGE, measurable cause of death, use for evaluation of aging, 169
Heparin and other anticoagulants, viscosity studies and anomalous flow properties of human blood systems with, 49
Homologous immune serum, inhibition of enzyme *d*-ribonuclease by, 11
Humoral rheology, viscosity studies and anomalous flow properties of human blood systems with heparin and other anticoagulants, 49
Hydrogen, fermentative and photochemical production in algae, 219
— ion concentration of allantoic and amniotic fluids of chick, 503
— ion concentration stability of protyrosinase and tyrosinase, 151
— ion concentration and various concentrations of sodium, potassium,

and calcium chloride, effects on muscular activity of *Periplaneta americana* isolated crop, 541
—, photoreduction in green algae with, effect of specific poisons, 195
— transport, mechanism, in animal tissues, inhibition by ribonuclease, 443
— transport, mechanism, in animal tissues, inhibitor studies with succinic dehydrogenase, 391
Hydrogenase in *Azotobacter*, action of inhibitors, 277

IMMUNE serum, homologous, inhibition of enzyme *d*-ribonuclease by, 11
Immunological properties of native and regenerated bovine albumin, 533
Invertase, yeast, reactivation, influence of amino acids, 479
Invertebrate eyes, derived photosensitive pigments from, 361
Irritability, increased, in *Nitella*, due to guanidine, 65

MAN, blood systems, viscosity studies and anomalous flow properties with heparin and other anticoagulants, 49
Membranes, collodion, dried, structure and electrical behavior, influence of thickness upon electromotive behavior, 309
—, collodion, dried, structure and electrical behavior, relative merits of homogeneous phase theory and micellar-structural theory, 17
—, protamine-collodion, electropositive, 369
Metabolism of autotrophic bacteria, nature of chemosynthetic reaction, 103
— of autotrophic bacteria, nature of energy storage material active in chemosynthetic process, 157
— of autotrophic bacteria, respiration of *Thiobacillus thiooxidans* on sulfur, 89
—, retina, effect of carbon dioxide tension, 473
—, retina, effect of low oxygen tension, 467
Micellar-structural theory, and homogeneous phase theory, relative merits as applied to dried collodion membrane, 17
Muscular activity of *Periplaneta americana* isolated crop, effects of hydrogen ion concentration and various concentrations of sodium, potassium, and calcium chloride, 541

NITELLA, increased irritability due to guanidine, 65
—, pacemakers in, electrical alternans, 457
Nuclease, ribo-, inhibition of hydrogen transport mechanism in animal tissues by, 443
—, *d*-ribo-, antigenicity, inhibition of enzyme by homologous immune serum, 11

ORGAN and whole animal respiration, thermoanalytic studies, 381
Orthoptera, *Periplaneta americana*, isolated crop, muscular activity, effects of hydrogen ion concentration and various concentrations of sodium, potassium, and calcium chloride, 541
Oxidase, cytochrome, cytochrome-, system, usual, cyanide-sensitive bacterial respiratory systems different from, 1
Oxygen tension, low, effect on metabolism of retina, 467
Oxyhydrogen reaction coupled with carbon dioxide reduction in algae, 241

PERIPLANETA *americana*, isolated crop, muscular activity, effects of hydrogen ion concentration and various concentrations of sodium, potassium, and calcium chloride, 541
Phase theory, homogeneous, and micellar-structural theory, relative merits as applied to dried collodion membrane, 17
Phospholipids in dog plasma, turnover rate measured with radioactive phosphorus, 333
Phosphorus, radioactive, turnover rate of phospholipids in dog plasma measured with, 333
Photochemical and fermentative production of hydrogen in algae, 219
Photoreduction with hydrogen in green algae, effect of specific poisons, 195
Photosensitive pigments, derived, from invertebrate eyes, 361
Physical properties of allantoic and amniotic fluids of chick, hydrogen ion concentration, 503
— properties of allantoic and amniotic fluids of chick, specific conductance, 495
Physicochemical properties and preparation of native and regenerated bovine albumin, 513
Physiological significance of antiproteolytic activity of serum, influence of purified trypsin inhibitor on blood coagulation, 423
— significance of antiproteolytic activity of serum, influence of trypsin and antiprotease on bacterial growth and sulfonamide action, 431
Physostigmine, cholinesterase-, system, zone behavior of enzymes illustrated by effect of dissociation constant and dilution on, 559
Pigments, photosensitive, derived, from invertebrate eyes, 361
Plant respiration and tyrosinase, 269
Plasma, dog, phospholipids, turnover rate measured with radioactive phosphorus, 333
Poisons, specific, effect upon photoreduction with hydrogen in green algae, 195
Pollen tube chromosomes, prophase, differential sensitivity to x-rays and ultraviolet radiation, 485
Potassium, sodium, and calcium chloride, various concentrations, and hydrogen ion concentration, effects on muscular activity of *Periplaneta americana* isolated crop, 541
— and sodium guaiacolates in guaiacol, electrical conductivity, 287
Potentials, diffusion, in models and living cells, 293
Prophase pollen tube chromosomes, differential sensitivity to x-rays and ultraviolet radiation, 485
Protamine-collodion membrane, electropositive, 369
Protyrosinase and tyrosinase, hydrogen ion concentration stability, 151

RADIATION, ultraviolet, and x-rays, differential sensitivity of prophase pollen tube chromosomes to, 485
Radioactive phosphorus, turnover rate of phospholipids in dog plasma measured with, 333
Reduction of carbon dioxide coupled with oxyhydrogen reaction in algae, 241
—, photo-, with hydrogen in green algae, effect of specific poisons, 195
Respiration of *Thiobacillus thiooxidans* on sulfur, 89
—, organ and whole animal, thermoanalytic studies, 381
—, plant, and tyrosinase, 269
Respiratory systems, bacterial, cyanide-sensitive, different from usual cytochrome-cytochrome oxidase system, 1

Retina, metabolism, effect of carbon dioxide tension, 473
—, metabolism, effect of low oxygen tension, 467
Rheology, humoral, viscosity studies and anomalous flow properties of human blood systems with heparin and other anticoagulants, 49
Ribonuclease, inhibition of hydrogen transport mechanism in animal tissues by, 443
—, *d*-, antigenicity, inhibition of enzyme by homologous immune serum, 11
Roentgen rays and ultraviolet radiation, differential sensitivity of prophase pollen tube chromosomes, 485

SEDIMENTATION in angle centrifuge, 341
Sensitive, cyanide-, bacterial respiratory systems different from usual cytochrome-cytochrome oxidase system, 1
Sensitivity, differential, of prophase pollen tube chromosomes to x-rays and ultraviolet radiation, 485
Serum, antiproteolytic activity, nature and variation, 405
—, antiproteolytic activity, physiological significance, influence of purified trypsin inhibitor on blood coagulation, 423
—, antiproteolytic activity, physiological significance, influence of trypsin and antiprotease on bacterial growth and sulfonamide action, 431
—, immune, homologous, inhibition of enzyme *d*-ribonuclease by, 11
Sodium, potassium, and calcium chloride, various concentrations, and hydrogen ion concentration, effects on muscular activity of *Periplaneta americana* isolated crop, 541
— and potassium guaiacolates in guaiacol, electrical conductivity, 287
Sound, ultra-, focused, method for generation and use in biology, 179
Specific conductance of allantoic and amniotic fluids of chick, 495
Succinic dehydrogenase, inhibitor studies with, mechanism of hydrogen transport in animal tissues, 391
Sulfonamide action and bacterial growth, influence of trypsin and antiprotease, physiological significance of antiproteolytic activity of serum, 431
Sulfur, respiration of *Thiobacillus thiooxidans* on, 89

THERMOANALYTIC studies of organ and whole animal respiration, 381
Thiobacillus thiooxidans, respiration on sulfur, 89
Tissue metabolism, retina, effect of carbon dioxide tension, 473
— metabolism, retina, effect of low oxygen tension, 467
Tissues, animal, mechanism of hydrogen transport, inhibition by ribonuclease, 443
—, animal, mechanism of hydrogen transport, inhibitor studies with succinic dehydrogenase, 391
Transport, hydrogen, mechanism, in animal tissues, inhibition by ribonuclease, 443
—, hydrogen, mechanism, in animal tissues, inhibitor studies with succinic dehydrogenase, 391
Trypsin and antiprotease, influence on bacterial growth and sulfonamide action, physiological significance of antiproteolytic activity of serum, 431
— inhibitor, purified, influence on blood coagulation, physiological significance of antiproteolytic activity of serum, 423
Turnover rate of phospholipids in plasma of dog measured with radioactive phosphorus, 333
— time and turnover rate, calculation

from experiments involving use of labeling agents, 325
Tyrosinase and plant respiration, 269
— and protyrosinase, hydrogen ion concentration stability, 151

ULTRASOUND, focused, method for generation and use in biology, 179
Ultraviolet radiation and x-rays, differential sensitivity of prophase pollen tube chromosomes to, 485

VISCOSITY studies and anomalous flow properties of human blood systems with heparin and other anticoagulants, 49
Vision, regeneration of visual purple in living animal, 27

X-RAYS. *See* Roentgen rays.

YEAST invertase, reactivation, influence of amino acids, 479